



# भारत का राजपत्र

The Gazette of India

असाधारण

## EXTRAORDINARY

भाग I—खण्ड 1

**PART I—Section 1**

## प्राधिकार से प्रकाशित

**PUBLISHED BY AUTHORITY**

स. 122 ।

नई दिल्ली, मंगलवार, मई 1, 2001/वैशाख 11, 1923

No. 1221

NEW DELHI, TUESDAY, MAY 1, 2001/VAISAKHA 11, 1923

## वाणिज्य एवं उद्योग मंत्रालय

### ( सार्वज्ञ विभाग )

## सार्वजनिक सचना

नई दिल्ली, 1 मई, 2001

संख्या 10 (आरडी. 2002)/1997—2002

फाइल. सं. 01/85/44/19/ए एम/2001/डी ई एस-6.—यथासंशोधित निर्यात और आयात नीति, 1997—2002 के पैरा 4.1 और यथासंशोधित प्रक्रिया पुस्तक, खण्ड-1, 1997—2002 के पैरा 7.8 और 7.10 तथा समय-समय पर यथासंशोधित प्रक्रिया पस्तक, खण्ड-2, 1997—2002 की ओर ध्यान आकर्ष किया जाता है।

2. यथासंशोधित निर्यात और आयात नीति, 1997-2002 के पेरा 4.11 के तहत प्रदत्त शक्तियों का प्रयोग करते हुए महानिदेशक, विदेश व्यापार यथासंशोधित प्रक्रिया पुस्तक, खण्ड-2, 1997-2002 में एतदद्वारा निम्नलिखित संशोधन/परिवर्तन और संवर्धन करते हैं।

3. यथासंशोधित प्रक्रिया पुस्तक, खण्ड-2, 1997-2002 में यथा निहित मानक निवेश मानदण्डों की विवरणिका में इस सार्वजनिक सूचना के अनुलग्नक -क में उल्लिखित उपयुक्त स्थलों पर संशोधन/शुद्धियाँ की जाएंगी।

4. मानक निवेश उत्पादन मानदण्डों की विवरणिका में नीचे यथाउलिखित स्थलों पर निम्नलिखित को जोड़ा जाएगा:-

## विविध उत्पाद

क्रमांक ट-134 की मौजूदा प्रविष्टि के बाद, इस सार्वजनिक सूचना के अनुलग्नक-ख के अनुसार क्रमांक ट-135 की नयी प्रविष्टि जोड़ी जाएगी।

5. इसे लोकहित में जारी किया जाता है।

एन. एस. लखनपाल, महानिदेशक, विदेश व्यापार

अनुलेखनक 'क'

संशोधन / शुद्धियाँ

क्रम सं0	पृष्ठ सं0	सन्दर्भ	संशोधन / शुद्धियाँ
1	2	3	4
1	3	रसायन और सम्बद्ध उत्पाद क्रम सं0 क- 10 (सार्वजनिक सूचना सं0 32 दिनांक 1.9.2000 द्वारा संशोधित)	निर्यात मद में “डाय-हाइड्रो” शब्द को ठीक करके “डाय- ब्यूटायरो” पढ़ा जाएगा।
2	22	रसायन और सम्बद्ध उत्पाद क्रम सं0 क 109	आयात मद के विवरण में क्रम सं0 4 (मात्रा सहित) संशोधित करके निम्नानुसार पढ़ी जाएगी: 4. डी(-) अल्फा पेराहाइड्रोक्सी फिनाइल 1.42 किग्रा. ग्लायसीन इथाइल मिथाइल पोटाशियम डेन साल्ट या 4. (1) डी (-) पेरा हाइड्रोक्सी पी. जी. बेस 0.877 किग्रा. 2 इथाइल/मिथाइल एसिटो एसीटेट 0.717 किग्रा. 3 मिथानॉल 2.393 किग्रा.

3	59	रसायन और सम्बद्ध उत्पाद क्रम सं0 क 361 (सार्वजनिक सूचना सं0 42 दिनांक 1.12.2000 द्वारा यथासंशोधित)	क्रम सं0 1 पर एकान्तर आयात मद के विवरण में (मात्रा में बिना किसी परिवर्तन के) संशोधन करके निम्नानुसार पढ़ा जाएगा:- या डाय-इथाइलीन डायामाइन (100 प्रतिशत आधार पर)
---	----	----------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4	150	रसायन और सम्बद्ध उत्पाद क्रम सं0 क 1099	इस प्रविष्टि के अन्तर्गत आने वाले मानदण्ड निम्नलिखित द्वारा प्रतिस्थापित किए जाएंगे:
---	-----	--------------------------------------------	-----------------------------------------------------------------------------------------

क्रम सं0	निर्यात मद	मात्रा	आयात मद	अनुमत मात्रा
क 1099	कॉपर सल्फेट (क्रिस्टलाइजेशन के पानी के 5 मालिक्यूल सहित)	1 किग्रा.	1. कॉपर स्क्रैप (84 प्रतिशत कॉपर कान्टैन्ट) या कॉपर ऑक्साइड (40 प्रतिशत कॉपर कान्टैन्ट)	0.320 किग्रा. 0.672 किग्रा.

5.	14	रसायन और सम्बद्ध उत्पाद क्रम सं. क 2454 (सार्वजनिक सूचना सं. 32 दिनांक 1/9/2000 द्वारा यथा संशोधित)	क्रम सं. 2 और 6 पर आयात मद का विवरण (मात्रा में लिना किसी परियर्तन के) संशोधित करके निम्नानुसार पढ़ा जाएगा :- “2. एम्ब्रोमो एनायलीन (मेटा ब्रोमो एनायलीन) 6. 1,4 डायोक्सेन
6.	16	रसायन और सम्बद्ध उत्पाद क्रम सं. क 2462 (सार्वजनिक सूचना सं. 32 दिनांक 1/9/2000 द्वारा यथा संशोधित)	क्रम सं. 2 पर आयात मद की मात्रा संशोधित कर के निम्नानुसार पढ़ी जाएगी :- “0.82 कि.ग्रा.
7.	621	इंजीनियरिंग उत्पाद क्र. सं0 ग 920	इस प्रविष्टि के तहत आने वाले मानदण्ड को निम्नलिखित के साथ प्रतिस्थापित किया जाएगा

क्र. सं0 ग 920	निर्यात मद कटिंग टूलस-हाई स्पीड स्टोल (नान कोबाल्ट ग्रेड) के मल्टीपल प्वाइंट/टूल स्टोल	मात्रा 1 किग्रा.	आयात मद 1. हाई स्पीड स्टोल (नान कोबाल्ट ग्रेड)/ टूल स्टोल 2. मिलिंग कटर	अनुमत मात्रा 1.33 किग्रा.  निर्यात उत्पाद के पोत पर्यन्त निशुल्क मूल्य के 2% लागत बीमा भांडा मूल्य हैतु
-------------------	-------------------------------------------------------------------------------------------------	---------------------	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------

8.	621	इंजीनियरिंग उत्पाद क्र. सं0 ग 921	इस प्रविष्टि के तहत आने वाले मानदण्ड को निम्नलिखित के साथ प्रतिस्थापित किया जाएगा
----	-----	--------------------------------------	--------------------------------------------------------------------------------------

क्र. सं0 ग 921	निर्यात मद कटिंग टूलस-हाई स्पीड स्टोल (नान कोबाल्ट ग्रेड) के मल्टीपल प्वाइंट/टूल स्टोल	मात्रा 1 किग्रा.	आयात मद 1. हाई स्पीड स्टोल (नान कोबाल्ट ग्रेड)/ टूल स्टोल 2. मिलिंग कटर	अनुमत मात्रा 1.33 किग्रा.  निर्यात उत्पाद के पोत पर्यन्त निशुल्क मूल्य के 2% लागत बीमा भांडा मूल्य हैतु
-------------------	-------------------------------------------------------------------------------------------------	---------------------	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------

9.	950	खेलो का सामान क्र.सं0 झ-11	इस प्रविष्टि के अन्त में निम्नलिखित पाद-टिप्पणी को जोड़ा जाएगा : टिप्पणी :- 'उस मामले में जब निर्यात उत्पाद के भारत में भिन्नता हो, निवेश (आयातित मदों) की आवश्यकता यथा अनुपात आधार पर मानी जाएगी'
----	-----	-------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

10	1012	वस्त्र उत्पाद क्रम सं0 -303	निर्यात मद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा: ‘डाइड अपरोल्स्ट्री/पोलीस्टर फिलामैट यार्न से बने फर्निशिंग फैब्रिक्स/विस्कोस स्पन यार्न/कॉटन यार्न।
----	------	--------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

का अनुलग्नक "ख"

विविध उत्पाद

क्रम सं0	निर्यात मद	मात्रा	आयात मद	अनुमत मात्रा
ट 135	रबड बैकड पोलीप्रोपाइलीन नॉन वूवन डोर मैट	1 वर्ग मी.	1. रेलेवेट पोलीप्रोपाइलीन नॉन वूवन फ्लोर कवरिंग	1.05 वर्ग मी.

**MINISTRY OF COMMERCE AND INDUSTRY**

**(Department of Commerce)**

**PUBLIC NOTICE**

New Dehli, the 1st May, 2001

No. 10 (RE-2002)/1997—2002

**F. No. 01/85/44/19/AM/2001/DES-VI.**—Attention is invited to Paragraph 4.11 of the Export and Import Policy 1997—2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol 1, 1997—2002 as amended and also to the Handbook of Procedures, Vol 2, 1997—2002, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.

3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/ corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

## MISCELLANEOUS PRODUCTS

After the existing entry at Sl.No.K-134, the new entry at Sl.No.K-135 shall be added as per Annexure "B" to this Public Notice.

5. This issues in public interest.

N. L. LAKHANPAL, Director General of Foreign Trade

Annexure "A"

## AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	3	<u>Chemicals &amp; Allied Products</u> Sl.No.A10 (As amended vide Public Notice No. 32 Dated: 01/09/2000)	The words "Di-hydro" in export item shall be corrected to read as "Di-Butyro".
2.	22	<u>Chemicals &amp; Allied Products</u> Sl.No.A109	In the description of import item at Sl. No. 4 (with quantity) shall be amended to read as under:- "4. D(-) Alpha parahydroxy - 1.42 kg Phenyl Glycine Ethyl/ Methyl Potassium Dane Salt OR 4(i) D(-) para hydroxy - 0.877 kg P.G. Base (ii) Ethyl/Methyl Aceto - 0.717 kg Acetate (iii) Methanol - 2.393 kg".
3.	59	<u>Chemicals &amp; Allied Products</u> Sl.No.A361 (As amended vide Public Notice No. 42 Dated: 01.12.2000)	In the description of alternative import item at Sl. No. 1 (without any change in quantity) shall be amended to read as under:- "OR Di-Ethylene Diamine (on 100% basis)"

1304-61, 12001-2

4.	150	<u>Chemicals &amp; Allied Products</u> Sl.No.A1099	The norm covered by this entry shall be substituted by the following:-
----	-----	-------------------------------------------------------	------------------------------------------------------------------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1099	Copper Sulphate (with 5 molecule of water of Crystallisation)	1 kg	1. Copper Scrap (84% Copper content ) OR Copper Oxide (Copper content 40%)	0.320 kg 0.672 kg

5.	14	<u>Chemicals &amp; Allied Products</u> Sl.No.A2454 (As amended vide Public Notice No. 32 Dated: 01/09/2000)	The description of import item at Sl. No. 2 and 6 (without any change in quantity) shall be amended to read as under:- “2. M Bromo Aniline (Meta Bromo Aniline) 6. 1,4 Dioxane”.
----	----	----------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.	16	<u>Chemicals &amp; Allied Products</u> Sl.No.A2462 (As amended vide Public Notice No. 32 Dated: 01/09/2000)	The quantity of import item at Sl. No. 2 shall be amended to read as under:- “0.82 kg”.
----	----	----------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------

7.	621	<u>Engineering Product</u> Sl.No.C920	The norm covered by this entry shall be substituted by the following:-
----	-----	------------------------------------------	------------------------------------------------------------------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C920	Cutting Tools – Multiple Point of High Speed Steel (Non-Cobalt grade)/ Tool Steel	1 kg	1. High Speed Steel (Non-Cobalt Grade)/ Tool Steel 2. Milling Cutter	1.33 kg for a CIF value upto 2% of the FOB value of the export product

8.	621	<u>Engineering Product</u> Sl.No.C921	The norm covered by this entry shall be substituted by the following:-
----	-----	------------------------------------------	------------------------------------------------------------------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C921	Cutting Tools – Multiple Point of High Speed Steel (Cobalt grade) / Tool Steel	1 kg	1. High Speed Steel (Non-Cobalt Grade)/ Tool Steel 2. Milling Cutter	1.33 kg  for a CIF value upto 2% of the FOB value of the export product

9.	950	<u>Sports Goods</u> Sl.No.I-11	At the end of this entry the following foot note shall be added:- Note:- “In case when weight of export product differs, the requirement of inputs (imported items) shall be calculated on pro-rata basis”.
----	-----	-----------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

10.	1012	<u>Textile Products</u> Sl.No.J-303	The description of export item shall be amended to read as under:- “Dyed Upholstry/Furnishing Fabrics made out of Polyester Filament Yarn/ Viscose Spun yarn / Cotton yarn”.
-----	------	----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Annexure "B"

### MISCELLANEOUS PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty Allowed
K135	Rubber Backed Polypropylene Non- woven Door Mat	1 sq. mtr.	1. Relevant Polypropylene Non- woven floor covering	1.05 Sq. Mtr.

